



Orders will not be processed unless this form is returned with the Payment Form. Please note a 20% surcharge will apply for forms returned less than 5 business days prior to the commencement date.

Contact Details

**MANDATORY FIELD - Please note that forms submitted without the mandatory fields completed will not be processed*

*First name:	<input type="text"/>	*Surname:	<input type="text"/>
*Stand name:	<input type="text"/>	*Stand no.:	<input type="text"/>
*Company address:	<input type="text"/>	Suburb:	<input type="text"/>
Phone:	<input type="text"/>	Postcode:	<input type="text"/>
*Name of event:	<input type="text"/>	Email:	<input type="text"/>
		Event dates:	<input type="text"/>

- PCEC does not supply sinks/basins, water heaters (etc), this equipment must be arranged separately
- Exhibitors must provide a licensed plumber to connect from the service access pit to their equipment. Water/waste pit access will be charged by PCEC, however any additional equipment or fixtures required must be supplied by the plumber.
- A floor plan must be attached indicating required location for sink/tap and connections.
- **All exhibitors requiring water and waste connections must check prior with the organiser that their stand space is located over a wet pit.**
- A raised floor of 150mm will be required to ensure pipes run under the stand to the designated area. Please notify PCEC of any stand number changes (**PCEC Event Manual**).

Water and Waste Services

	RATE (INCL. GST)	NO. REQ.	TOTAL
Water and waste pit access and connection fee	\$ 65.00		\$ 0.00
Water usage: Charged per 1,000 litres or part thereof	\$ 35.00		\$ 0.00
		TOTAL	\$ 0.00

Connection Details

Plumber's Name Licence Number State

Compressed Air

PCEC does not provide compressed air. The Client may arrange at their expense for a mobile compressor to be connected to the ½ inch push-fit external connection point located on the southern loading dock at Pavilion 2. This point reticulates compressed air to ½ inch threaded fit connection points in the service pits of Pavilion 2 only. Supply to all other pavilions required temporary connection to a mobile compressor. Mobile compressors are not permitted within PCEC and are to be located on the southern loading dock, adjacent to the respective pavilion. (pg. 27 **Event Manual**).

Start Date End Date Arrival Time of Compressor

I agree that the above order is true and correct.

Signed

Please return this form along with the Payment Form to exhibitor@pcec.com.au